

1 I claim:

2 1. A fencing post junction system comprising:

3 first post engagement means having first and second
4 collar members said first and second collar
5 members being configured for cooperatively
6 defining an first elongate post channel
7 through which a fencing post may extend along
8 a first axis of said first elongate post
9 channel;

10 first attachment means for reversibly securing said
11 first and second collar members in a
12 configuration for said cooperatively defining
13 said first elongate post channel and for
14 mechanically engaging a length of a first
15 fence post therein;

16 second post engagement means having third and forth
17 collar members, said third and fourth collar
18 members being configured for cooperatively
19 defining a second elongate post channel
20 through which a fencing post may extend along
21 a second axis of said second elongate post
22 channel;

1 second attachment means for reversibly securing
2 said first and second collar members in a
3 configuration for said cooperatively defining
4 said second elongate post channel and for
5 mechanically engaging a length of a second
6 fence post therein; and

7 junction means for securing said first attachment
8 means to said second attachment means in a
9 substantially fixed relative orientation.

10
11 2. The system of Claim 1 wherein said junction means is
12 configured for respectively orienting said first
13 attachment means and said first post engagement means and
14 said second attachment means and said second post
15 engaging means whereby said first and second axial
16 directions are in substantially parallel orientations.

17
18 3. The system of Claim 1 wherein said junction means is
19 configured for respectively orienting said first
20 attachment means and said first post engagement means and
21 said second attachment means and said second post
22 engaging means whereby said first and second axial

1 directions are in substantially non-parallel
2 orientations.

3
4
5 4. A fencing post junction system comprising:

6 first post engagement means having first and second
7 post-grasping members, said first and second
8 post-grasping members being configured for
9 cooperatively defining an first aperture
10 through which a fencing post may extend in a
11 first axial direction;

12 first attachment means for reversibly securing said
13 first and second post-grasping members in a
14 configuration for said cooperatively defining
15 said first aperture and for mechanically
16 engaging a length of a first fence post
17 therein;

18 second post engagement means having third and forth
19 post-grasping members, said third and fourth
20 post-grasping members being configured for
21 cooperatively defining a second aperture
22 through which a fencing post may extend in a
23 second axial direction;

1 second attachment means for reversibly securing
2 said first and second post-grasping members in
3 a configuration for said cooperatively
4 defining said second aperture and for
5 mechanically engaging a length of a second
6 fence post therein; and

7 junction means for securing said first attachment
8 means to said second attachment means in a
9 substantially fixed relative orientation.

10
11 5. The system of Claim 4 wherein said junction means is
12 configured for respectively orienting said first
13 attachment means and said first post engagement means and
14 said second attachment means and said second post
15 engaging means whereby said first and second axial
16 directions are in substantially parallel orientations.

17
18 6. The system of Claim 4 wherein said junction means is
19 configured for respectively orienting said first
20 attachment means and said first post engagement means and
21 said second attachment means and said second post
22 engaging means whereby said first and second axial
23 directions are in non-parallel orientations.